











- [7] Eddahech, A.; Briat, O.; Vinassa, J. Real-Time SOC and SOH Estimation for EV Li-Ion Cell Using Online Parameters Identification. In Proceedings of the 2012 IEEE Energy Conversion Congress and Exposition, Raleigh, NC, USA, 15–20 September 2012.
- [8] Hentunen, A.; Lehmuspelto, T.; Suomela, J. Electrical battery model for dynamic simulations of hybrid electric vehicles. In Proceedings of the 2011 IEEE Vehicle Power and Propulsion Conference (VPPC), Chicago, IL, USA, 6–9 September 2011; pp. 1–6.
- [9] Lombardi, L.; Tribioli, L.; Cozzolino, R.; Bella, G. Comparative environmental assessment of conventional, electric, hybrid, and fuel cell powertrains based on LCA. *Int. J. Life Cycle Assess.* 2017, 22, 1989–2006.
- [10] Thomas, C.E. Fuel cell and battery electric vehicles compared. *Int. J. Hydrog Energy* 2009, 34, 6005–6020.
- [11] Hu, X.; Zou, C.; Zhang, C.; Li, Y. Technological Developments in Batteries: A Survey of Principal Roles, Types, and Management Needs. *IEEE Power Energy Mag.* 2017, 15, 20–31.
- [12] A. W. Thompson, "Economic implications of lithium ion battery degradation for vehicle-to-grid (V2X) services," *J. Power Sources*, vol. 396, pp. 691-709, Aug. 2018.
- [13] B. Weiðhar and W. G. Bessler, "Model-based lifetime prediction of an LFP/graphite lithium-ion battery in a stationary photovoltaic battery system," *J. Energy Storage*, vol. 14, pp. 179-191, Dec. 2017.
- [14] "Rechargeable lithium ion battery E63" LG Chem, Seoul, South Korea, Tech. Rep., Feb. 2018.
- [15] G. Saldaña, J. I. San Martín, I. Zamora, F. J. Asensio, O. Oñederra and M. González, "Empirical Electrical and Degradation Model for Electric Vehicle Batteries," in *IEEE Access*, vol. 8, pp. 155576-155589, 2020.